

**TRELKO**  
EXTRUSION



**ALLUMINIUM  
SECTION**

ARCHITECTURE INDUSTRIAL

**COLLECTION  
2021**



## Vision

We strive to expand our business continuously to achieve excellence. We embrace growth by identifying new business opportunities and strengthen our expertise as a strong aluminium extrusion manufacturer in India.

## Mission

Providing superior customer services with high quality and refined aluminium extruded products, ensuring the ease of use of the products and better ways to get unified solutions for clients.

## Values

We especially imbibe commitment and integrity in our work. We go out of our way to ensure that efficiency and effectiveness are the outcome of our teamwork



## ABOUT US...

### 25 Long Years Of Manufacturing Excellence With Quality At It's Best!

Talco Extrusion is the foremost aluminium extrusion manufacturer in India holding a position of repute having diligence of serving the industry since 2017. Talco manufactures aluminium extrusion profiles that have several applications. Talco combines the fortitude of technology and materials bringing in the best quality aluminium extrusion manufacturing products.

Located in Harsol, Sabarkantha District of Gujarat, Talco Extrusion is slowly emerging as a strong player as an aluminium extrusion company in India mainly due to the fact that right from the begin, it was realised that staying updated with technology, design and craftsmanship achieves far reaching results.

Strength and reliability are the hallmarks of our products. We infuse a lot of R&D to ensure that the products emerge strong, durable, long-lasting and are made to the demands of its purpose and functionality. We believe that it is important to ensure that our products meet the expectations of the clients.

Innovation is the solidifying factor for us at each step of the product from raw materials to the finishing. Aluminium, due to its propensity to be strong, anodized and recyclable comes up as the most preferred metal for aluminium extrusion profile manufacturers in india. Trust-worthiness, brand presence and value-driven output is the reason why we are the preferred company in aluminium extrusion.

Think Toughness. Think Extraordinary. Think concept-driven.

Think TALCO EXTRUSION

Talco Extrusion is an emerging aluminium extrusion company in India focussing on aluminium extrusion manufacturing that is not only induced by up-end technology but also excellent raw materials procurement settings.

We are the only aluminium extrusion manufacturer in India who think in terms of holistic from the raw materials to the sales – a completely process driven aluminium extrusion company in India.

## MANUFACTURING FACILITY



Talco Extrusion is having a state of art manufacturing facility to produce world class Alluminium Profile and section

Talco Extrusion has installed 1400 MX capacity and the press is PLC controlled with self diagnostics capability with ultra modern handling system to produce and handle quality product.

The Company has in house foundry with modern melting furnace including fully automatic HOTTOP casting technology. Company is able to produce high refined close grain with has uniform manner & oxide free Logs/Billets. Talco Extrusion, are manufactured from high quality billets made out of virgin in- house metal and offer an impressive range of shapes and alloys.

The company manufactures Die from highly technical processors and have made available ultramodern tool room equipments, such as CNC wire cut, EDM & CNC vertical machining centre which give us best quality of product

Talco Extrusion has very modern and latest natural gas fired ageing furnace to achieve carbon free extrusion product for better Anodizing Quality.








SPECTROMETER



OVEN CABINET



DIGITAL GLOSS METER



PUNCH STRESS TEST

The customer is at the centre of our activities and thoughts. This important guiding principle is not a platitude, but is resolutely translated into practice. With this customer - oriented approach and manner of working, we always ensure that Talco Extrusion, India, products unite all the customer's wishes and do justice to their specific requirements. To achieve this, we are having ultra modern Test Lab consisting of highly sophisticated and precise test equipments. With these wide variety of tests of different environmental conditions which are simulated in the test lab, our finished product meets all international standard,



Largely we have three types of aluminium extruded product profiles

**Rolled Aluminium:** Could be used as a cover up or body for machinery or parts and also as roofing material like sheets.

**Extrusion Profile:** Are useful for structural and architectural frameworks and structuring.

**Aluminium Foil:** Useful for food processing units and food grade industry

These are further made into various types of products that can include aluminium sliding windows, shop flints, aluminium glazing system, venetian blinds, aluminium rods, aluminium tubes, bus body, heat radiators/ tubing, awnings, aluminium modular furniture, sun breakers, green house, aluminium partitions, ladder sections, motor body, etc.

## PRODUCTS, PERFORMANCE AND CHECKLIST

To put out products that are in tune with your needs and requirements we keep a checklist which goes beyond the products and deals with services too. Before we start a new project/business with a client, these aspects are taken into consideration:

- Drawings and description is shared with the extruder before the design is finalized.
- Specifications in terms of construction, military or other crucially specialized usage.
- Temper and the alloy based on the requirements of strength, corrosive effects, weather resistance, machinability of design, welding efforts, finish etc.
- Length minimally required in end-usage and purchase length.
- Allowances in the commercials as per the drawing
- Surface look, finishing touches, mill, anodization, paint job, exposed surfaces, etc.
- Packaging guidelines to be followed as per the acceptable maximum and minimum weight per package and shipping & handling requirements.
- Secondary fabrication requirements to be taken into considerations like mitering, punching, bending, anodizing, drilling, etc.
- Product end-usage compliances.
- Quantity needed in terms of one time project or continual or annual.
- Shipping policies, shipping time and delivery considerations.
- Special quality considerations from the client's requirements.



1. Manufactured from high quality billets made from in-house virgin metal.
2. Better control on impurities and superior finish lead to excellent anodizing.
3. Well-established manufacturing process and heat treatment practices honed over 5 decades of experience.
4. Traceability of material right from metal stage.
5. Comprehensive testing facility.
6. Available in wide range of shapes and sizes.
7. Excellent corrosion resistant.
8. Tightest Dimensional Tolerance improves quality of fabrication and minimizes rejection.
9. Suitable for wide range of finishes to match the decors. Anodized. Powder coated, Polyvinylidene Fluoride (PVDF) coated, wood coated etc.

## MAJOR APPLICATION

1. Windows (Sliding & Casement)
2. Doors
3. Partitions/Shop Fronts
4. Hardwares (Tower Bolts/Aldrops/Hinges Door Handles)
5. Curtain Wallings / Structural Glazing
6. False Ceiling
7. Northing Glazing
8. Ladders
9. Furniture/ModularSystem
10. Hand Railing
11. Wall facing
12. Expanded Grills
13. Venetian Blind & Curtain Rails
14. Aluminum Form Work
15. Mosquito Net
16. Louvers& Sun Screen
17. Rolling Shutters





## CHEMICAL COMPOSITION (%)\*

Alloy Designation	Silicon (Si)	Iron (Fe)	Titanium (Ti)	Manganese (Mn)	Manganese (Mg)	Copper (Cu)	Zinc (Zn)	Chromium (Cr)	Others Each	Others Total
AA6063/ALCAN50S/IS63400	0.30-0.70	0.6	0.2	0.3	0.40-0.90	0.1	0.2	0.1	0.05	0.15
AA6060/ALCAN L50S	0.30-0.60	0.10-0.30	0.1	0.1	0.35-0.60	0.1	0.15	0.05	0.05	0.15
AA1050/ALCAN C 1 S/IS19501	0.15	0.35	-	0.02	-	0.04	0.02	0.02	0.03	0.1
AA6101/ALCAN D 50S/IS 63401	0.30-0.70	0.5	0.1	0.03	0.4-0.9	0.05	0.1	0.03	0.03	0.1
AA6351/ALCAM B51S/IS 64430	0.60-1.30	0.6	0.2	0.40-1.00	0.40-1.20	0.1	0.1	0.25	0.05	0.15
AA6082	0.70-1.30	0.5	0.1	0.40-1.00	0.60-1.20	0.1	0.2	0.25	0.05	0.15
AA6061/ALCAN D65S/IS65032	0.40-0.80	0.7	0.15	0.15	0.80-1.20	0.15-0.40	0.25	0.04-0.35	0.05	0.15
ALCAN C62S/IS64423	0.70-1.30	0.8	-	1	0.50-1.30	0.50-1.10	-	-	0.07	0.25
AA6066	0.90-1.80	0.5	0.2	0.60-1.10	0.80-1.40	0.70-1.20	0.25	0.4	0.05	0.15

Hole - Single figure shows maximum Limit.

- Chemical composing generally conform to ASI U B221 ABS 1474 However the same can be supplied as per various specific standard subject to enquiries

## MECHANICAL PROPERTIES

Alloy Designation	Temper	CCD(mm)	Tensile Strength (Win) Kg/mm <sup>2</sup>	0.2% Proof Stress (Min) Kg/mm <sup>2</sup>	% Elongation On 50mm (Min)
AA6063/ALCAN 50S/IS63400	WPAT6	0-150	18.9	15.3	7.0
AA6060/ALCAN L50S		150-200	15.3	13.3	6.0
AA1050/ALCAN C1S/IS19501	M/F	-	6.12	-	25
AA6101/ALCAN D50S/IS64423	WP/T6	-	20.40	17.34	10
AA6351/AA6082/ALCANB51S/ IS64430	WP/T6	0-75	31.5	27.5	7.0
		75-150	30.1	27.5	7.0
		150-336	28.0	23.0	7.0
AA6061/ALCAN D65S/IS65032	WP/T6	0-150	28.5	24.0	7.0
		150-200	25.0	20.4	6.0
AA6066/ALCAN C62S/IS64423	WP/T6	75-150	34.0	31.5	7.0
		75-220	30.1	27.5	7.0




RECTANGULAR TUBE .....	10	MULIAN SERIES 7 .....	60
SQUARE TUBE .....	12	GLASS SECTION / CURTAIN WALL .....	61
ROUND PIPE .....	12	CD SECTION .....	64
PARTITION .....	13	SINTEX .....	65
DOOR .....	16	ANGLE .....	66
DOOR WINDOW MOULDING ...	24	CHANEL .....	66
DOOR WINDOW PLAIN .....	27	BUS BODY .....	67
SLIDING WINDOW .....	30	MOTOR BODY .....	75
HOLLO TRACK .....	41	GRILL PROFILE SECTION .....	76
SPECIAL SLIDING .....	43	LIGHT WEIGHT .....	78
GLAZING CLIP & PLATE .....	44	HARDWARE .....	80
DOMAL SERIES 26mm .....	45	KITCHEN PROFILE .....	85
DOMAL SERIES 27mm .....	46	SPECIAL PROFILE .....	88
DOMAL SERIES 24mm .....	47	PRESSURE PLATE & COVER PLATE .....	95
MINI DOMAL SERIES .....	48		
PLAIN DOMAL SERIES .....	49		
DOMAL VENTINA SERIES .....	50		
MULIAN SERIES 1 .....	52		
MULIAN SERIES 2 .....	53		
MULIAN SERIES 3 .....	54		
MULIAN SERIES 4 .....	55		
MULIAN SERIES 5 .....	57		
MULIAN SERIES 6 .....	58		





## Rectangular Tube



## Rectangular Tube 1.5x1

Sr. No	Section No.	A	B	T	WT.KG
1	6402	36	24	0.60	0.750-0.850
2	6403	38	25	0.85	0.900-1.100
3	6403	38	25	1	1.200-1.400


## Rectangular Tube 2x1

Sr. No	Section No.	A	B	T	WT.KG
1	6431	48	24	0.7	0.900-1.100
2	6432	50	25	0.8	1.100-1.300
3	6432	50	25	0.95	1.300-1.500

## Rectangular Tube 2.5x1


Sr. No	Section No.	A	B	T	WT.KG
1	6482	62	25	0.75	1.200-1.400
2	6482	62	25	1.05	1.700-1.900

## Rectangular Tube 2.5x1.5



Sr. No	Section No.	A	B	T	WT.KG
1	6510	55	32	0.60	1.000-1.200
2	6503	63	38	0.95	1.800-2.100
3	6504	63	38	1.25	2.500-2.700
4	6504	63	38	1.4	2.800-3.100


## Rectangular Tube 3x1



Sr. No	Section No.	A	B	T	WT.KG
1	6511	75	25	0.9	1.700-2.000




### Rectangular Tube 3.25x1.5




Sr. No	Section No.	A	B	T	WT.KG
1	6521	82	38	1	2.300-2.600
2	6521	82	38	1.2	2.800-3.200

### Rectangular Tube 4x1




Sr. No	Section No.	A	B	T	WT.KG
1	6541	96	25	1	1.800-2.000
2	6541	101	25	1.15	2.700-3.000

### Rectangular Tube 4x1.75




Sr. No	Section No.	A	B	T	WT.KG
1	6553	101	44	1.20	3.400-3.800
2	6553	101	44	1.50	4.200-4.500

### Rectangular Tube 5x1




Sr. No	Section No.	A	B	T	WT.KG
1	6571	125	25	1.3	3.800-4.100
2	6571	125	25	1.5	4.400-4.800

# SQUARE TUBE



Sr. No	Section No.	A	B	T	WT.KG
1	1425	25	25	0.80	0.650-0.750
		25	25	1.00	0.950-1.100
		25	25	1.20	1.100-1.300
		25	25	1.50	1.350-1.650
2	1438	38	38	0.80	1.200-1.400
		38	38	1.00	1.400-1.600
		38	38	1.20	1.700-2.000
		38	38	1.50	2.100-2.400
3	1450	50	50	0.90	1.800-2.000
		50	50	1.20	2.300-2.500
		50	50	1.50	2.800-3.100
		63	63	1.00	2.400-2.700
		63	63	1.20	2.800-3.200
		63	63	1.50	3.600-4.000
4	1475	75	75	1.20	3.500-4.000
		75	75	1.50	4.400-4.800
5	1490	100	100	2.5	9.500-10.500
		100	100	3.0	11.500-12.500


# ROUND PIPE



Sr. No	Section No.	D	T	WT.KG
1	6038	38m	0.70	0.750-0.900
		38m	0.85	0.950-1.150
2	6050	50m	0.95	1.300-1.500
		50m	1.10	1.700-2.000
3	6025	63m	1.00	1.800-2.100
		63m	1.25	2.200-2.450
4	6060	75m	1.20	2.600-3.000
		75m	1.35	3.200-3.500
5	6690	100m	3.10	9.00-11.00



# PARTITION



## Single Partition - (2.5x1.5)

Sr. No	Section No.	A	B	T	WT.KG
1	3002	63	38	0.79	1.700 - 2.000
		63	38	1.10	2.000 - 2.300
2	3003	63	38	1.15	2.300 - 2.600
		63	38	1.35	2.700 - 3.000
3	3004	63	38	1.50	3.00-3.400
		63	38	1.90	3.800-4.100

## Single Partition - (4x1.75)

Sr. No	Section No.	A	B	T	WT.KG
1	3101	101	44	1.25	3.700-4.100
		101	44	1.75	5.00-5.500
		101	44	3.10	8.500-9.500

## Single Partition - (4x1)

Sr. No	Section No.	A	B	T	WT.KG
1	3050	101	25	1.05	2.500-3.00


## Single Partition - (2x1)

Sr. No	Section No.	A	B	T	WT.KG
1	3029	50	25	0.95	1.400-1.700





### Double Partition



### Double Partition-(2.5x1.5)

Sr. No	Section No.	A	B	T	WT.KG
1	3302	63	38	0.79	1.800-2.100
		63	38	0.95	2.100-2.400
2	3303	63	38	1.20	2.400-2.700
		63	38	1.30	2.700-3.100
3	3304	63	38	1.50	3.200-3.500
		63	38	1.80	3.800-4.100

### Double Partition-(4x1.75)

Sr. No	Section No.	A	B	T	WT.KG
1	3407	101	44	1.20	3.700-4.100
		101	44	1.70	5.00-5.500
		101	44	3.10	8.500-9.500


### Double Partition-(4x1)

Sr. No	Section No.	A	B	T	WT.KG
1	3350	101	25	1.00	2.500-3.00

### Double Partition-(2x1)


Sr. No	Section No.	A	B	T	WT.KG
1	3329	50	25	0.90	1.400-1.700

### Samosa Section



Sr. No	Section No.	A	B	T	WT.KG
1	5801	63	36	1.00	2.700-3.100


### Glass Bottom Section



Sr. No	Section No.	A	B	T	WT.KG
1	5901	88	40	1.50	8.000-9.00




**DOOR**






**Door Middle Single(47mm)**




Sr. No	Section No.	A	B	T	WT.KG
1	4201	47	44	0.90	1.800-2.000
2	4202	47	44	1.10	2.200-2.500
3	4203	47	44	1.45	2.800-3.100
4	4205	47	44	3.10	5.300-5.600

**Door Middle Double(47mm)**




Sr. No	Section No.	A	B	T	WT.KG
1	4401	47	44	0.85	1.80-2.00
2	4402	47	44	1.05	2.20-2.500
3	4403	47	44	1.45	2.600-3.100
4	4405	47	44	3.0	5.30-5.60

**Door Vertical(47mm)**




Sr. No	Section No.	A	B	T	WT.KG
1	4601	47	44	1	1.800-200
2	4602	47	44	1.45	2.80-3.100
3	4605	47	44	1.45	5.30-5.60

**Tips Vertical**



Sr. No	Section No.	A	B	T	WT.KG
1	4860	64.5	49.5	1.50	3.00-3.500
2	4861	64.5	49.5	1.20	2.300-2.600


**Door Top & Bottom(47mm)**



Sr. No	Section No.	A	B	T	WT.KG
1	4801	47	44	0.85	1.80-2.00
2	4802	47	44	1.05	2.200-2.500
3	4803	47	44	1.45	2.800-3.100
4	4805	47	44	3.10	5.300-5.600




## Door Top Single Leg (47mm)




Sr. No	Section No.	A	B	T	WT.KG
1	140	47.5	44.45	1.	2.000-2.300
2	141	47.5	44.45	1.45	2.800-3.100

## Door Middle Single(85mm)




Sr. No	Section No.	A	B	T	WT.KG
1	4301	85	44.45	1.45	3.700-4.000
2	4305	85	44.45	3.1	7.500-7.800

## Door Top Single leg (85mm)




Sr. No	Section No.	A	B	T	WT.KG
1	4950	85	44	1.45	3.700-4.100
2	4960	85	44	3.10	7.500-7.800

## Door Top & Bottom(85mm)



Sr. No	Section No.	A	B	T	WT.KG
1	4901	85	44	1.45	3.700-4.100
2	4905	85	44	3.10	7.500-4.800


## Door Vertical (85mm)



Sr. No	Section No.	A	B	T	WT.KG
1	4701	85	44	1.45	3.700-4.100
2	4705	85	44	3.10	7.500-7.800




### Door Middle Double(85mm)




Sr. No	Section No.	A	B	T	WT.KG
1	4501	85	44	1.40	3.700-4.100
2	4505	85	44	3.10	7.500-7.600

### Door Top & Bottom(4.5x1.75)




Sr. No	Section No.	A	B	T	WT.KG
1	5050	114	44	1.15	3.700-4.000
2	5051	114	44	1.60	5.00-5.500
3	5052	114	44	3	9.00-10.000

### Corner Partition




Sr. No	Section No.	A	B	T	WT.KG
1	143	63.5	63.5	1	2.900-3.300

### 6" D.M.S



Sr. No	Section No.	A	B	T	WT.KG
1	9050	150.00	44	2	7.500-8.500
2	9051	150.00	44	3	11.500-12.500

### 6" D.M.D




Sr. No	Section No.	A	B	T	WT.KG
1	9070	150	44	2	7.500-8.500
2	9071	150	44	3	11.50-12.500






## 6" Door Bottom




Sr. No	Section No.	A	B	T	WT.KG
1	9095	150	44	2	7.500-6.500
2	9096	150	44	3	11.50-12.500

## Out Leg D.t.s. Leg 47mm




Sr. No	Section No.	A	B	T	WT.KG
1	4885	47	44	1.20	2.300-2.600
2	4890	47	44	1.50	2.80-4.200

## Plain Pattam



Sr. No	Section No.	A	B	T	WT.KG
1	9501	101	45	2	5.500-6.00
2	9502	101	45	3	8.500-9.00


## Single Pattam Box



Sr. No	Section No.	A	B	T	WT.KG
1	9608	125	40	1.50	6.00-6.500
2	9609	125	40	3.10	11.50-12.00




**Double Pattam Box**




Sr. No	Section No.	A	B	T	WT.KG
1	2966	125	58	1.50	6.500-7.00
2	2967	125	58	3.10	14.00-14.600

**Pattam With Group**




Sr. No	Section No.	A	B	T	WT.KG
1	9503	101	45	1.50	4.500-5.00
2	9504	101	45	3.10	8.200-8.600

**Hallow Glass Bottom**



Sr. No	Section No.	A	B	T	WT.KG
1	5605	68	40	2.0	8.00-6.500


**L Pipe 1.5x1**



Sr. No	Section No.	A	B	T	WT.KG
1	4002	36	24	75	850-1.00
2	4003	36	24	95	1.00-1.300




## L Pipe (2x1)




Sr. No	Section No.	A	B	T	WT.KG
1	4102	45	24	0.80	1.10-1.300
2	4103	45	24	1.00	1.30-1.500

## 2x1 Tapper L Pipe




Sr. No	Section No.	A	B	T	WT.KG
1	4105	45	24	0.90	1.200-1.500

## 1.25" T.L Tube




Sr. No	Section No.	A	B	T	WT.KG
1	4127	54	27	0.90	1.500-1.600
2	4128	54	27	1.20	1.00-2.300

## 2.5x1.5 Tapper L Pipe




Sr. No	Section No.	A	B	T	WT.KG
1	3605	65	40	85	1.600-2.100
2	3606	65	40	1.10	2.200-2.500
3	3607	65	40	1.45	2.800-3.100


## 2.5x1.5 Tapper L Pipe Double Size




Sr. No	Section No.	A	B	T	WT.KG
1	3655	65	40	1.10	2.200-5.00
2	3656	65	40	1.45	2.800-3.200




Sr. No	Section No.	A	B	T	WT.KG
1	5201	63	50	1.25	2.80-3.200
2	5203	63	50	1.10	2.40-2.60




Sr. No	Section No.	A	B	C	D	T	WT.KG
1	9539	152	38	45	614	2.0	7.50-8.50



Sr. No	Section No.	A	B	C	D	T	WT.KG
1	9540	152	38	45	61.40	2.0	7.50-8.50



Sr. No	Section No.	A	B	T	WT.KG
1	9541	126	18	2.50	6.00-6.500



Sr. No	Section No.	A	B	T	WT.KG
1	9542	104	40	2.5	3.300-3.600




## 2x1 Tapper Handle



Sr. No	Section No.	A	B	T	WT.KG
1	3550	50	25	0.90	1.300-1.500
2	3551	50	25	1.20	1.80-2.100

## 2x1 Tapper Middle




Sr. No	Section No.	A	B	T	WT.KG
1	3540	50	25	0.90	1.300-1.500
2	3541	50	25	1.20	1.900-2.200

## 2.5x1 Tapper Handle




Sr. No	Section No.	A	B	T	WT.KG
1	3552	60	26	0.90	1.700-1.900
2	3551	60	26	1.20	2.200-2.500

## 2.5x1 Tapper Middle



Sr. No	Section No.	A	B	T	WT.KG
1	3501	60	26	0.90	1.700-1.900
2	3502	60	26	1.20	2.200-2.500

## 2.5x1 Tapper Top Bottom




Sr. No	Section No.	A	B	T	WT.KG
1	2004	60	26	0.90	1.700-1.900
2	2005	60	26	1.20	2.200-1.500






### 2.5x1 Tapper Single Leg




Sr. No	Section No.	A	B	T	WT.KG
1	3011	60	26	0.95	1.70-1.900
2	3012	60	26	1.20	2.100-2.400

### 3x1 Tapper Handle




Sr. No	Section No.	A	B	T	WT.KG
1	3580	80	26	0.80	1.800-2.100
2	3581	80	26	1.10	2.20-2.500
3	3582	80	26	1.30	2.800-3.100

### 3x1 Tapper Middle



Sr. No	Section No.	A	B	T	WT.KG
1	3503	80	26	0.80	1.800-2.100
2	3504	80	26	1.10	2.200-2.500
3	3505	80	26	1.3	2.800-3.100


### 3x1 Tapper Top Bottom



Sr. No	Section No.	A	B	T	WT.KG
1	200 7/1	80	26	0.5	1.600-2.100
2	200 7/2	80	26	1.10	2.200-2.50
3	200 7/3	80	26	1.30	2.80-3.100




### 3x1 Tapper Top Bottom Single Leg




Sr. No	Section No.	A	B	T	WT.KG
1	200 8/1	80	26	0.90	1.800-2.100
2	200 8/2	80	26	1.15	2.200-2.500
3	200 8/3	80	26	1.35	2.600-3.100

### 3x1.25 Tapper Handle




Sr. No	Section No.	A	B	T	WT.KG
1	3530	80	32	1.10	2.400-2.800

### 3x1.25 Tapper Middle




Sr. No	Section No.	A	B	T	WT.KG
1	3529	80	32	1.10	2.400-2.600

### 3x1.25 Tapper Top Bottom



Sr. No	Section No.	A	B	T	WT.KG
1	2006	80	32	1.10	2.400-2.800


### 3x1.25 Tapper Top Bottom Single Leg



Sr. No	Section No.	A	B	T	WT.KG
1	2009	80	32	1.10	2.900-2.800




### 3x1 Plain Handle




Sr. No	Section No.	A	B	T	WT.KG
1	2106	75	25	9.0	1.800-2.100
2	2107	75	25	1.05	2.200-2.500
3	2108	75	25	1.35	2.600-3.100

### 3x1 Plain Middle




Sr. No	Section No.	A	B	T	WT.KG
1	1904	75	25	0.85	1.600-2.100
2	1905	75	25	1.00	2.200-2.500
3	1906	75	25	1.30	2.800-3.100

### 3x1 Plain Top Bottom



Sr. No	Section No.	A	B	T	WT.KG
1	2020	75	25	0.90	1.600-2.100
2	2021	75	25	1.05	2.200-2.500
3	2022	75	25	1.35	2.600-3.100

### 3x1 Top Bottom - Single Leg




Sr. No	Section No.	A	B	T	WT.KG
1	2025	75	25	0.90	1.80-2.100
2	2026	75	25	1.05	2.200-2.500
3	2027	75	25	1.40	2.600-3.100

# DOOR WINDOW PLAIN 28mm




## 60x28 Plain Handle




Sr. No	Section No.	A	B	T	WT.KG
1	9308	60	28	1.15	2.200-2.500

## 60x28 Plain Middle




Sr. No	Section No.	A	B	T	WT.KG
1	9309	60	28	1.15	2.300-2.600

## 60x28 Plain Top Bottom



Sr. No	Section No.	A	B	T	WT.KG
1	9310	60	28	1.15	2.200-2.500


## 60x28 Top Bottom-Single Leg



Sr. No	Section No.	A	B	T	WT.KG
1	9311	60	28	1.15	2.200-2.500




**75x28 Plain Handle**




Sr. No	Section No.	A	B	T	WT.KG
1	9304	75	28	1.10	2.300-2.600

**75x28 Plain Middle**




Sr. No	Section No.	A	B	T	WT.KG
1	9305	75	28	1.10	2.300-2.600

**75x28 Plain Top Bottom**



Sr. No	Section No.	A	B	T	WT.KG
1	9306	75	28	1.10	2.300-2.600

**75x28 Top Bottom Single Leg**




Sr. No	Section No.	A	B	T	WT.KG
1	9307	75	28	1.10	2.300-2.600



**SLIDING  
WINDOW**




### Handle Section (3"/4")




Sr. No	Section No.	A	B	T	WT.KG
1	101	40	18	0.70	900-1.050
2	102	40	18	0.80	1.100-1.300
3	103	40	18	1.200	1.400-1.600
4	104	40	18	1.50	1.60-2.00

### Middle Section (3/4)




Sr. No	Section No.	A	B	T	WT.KG
1	301	40	18	0.65	90-1.050
2	302	40	18	0.80	1.100-1.300
3	303	40	18	1.200	1.400-1.600
4	304	40	18	1.500	1.800-2.00

### Top Bottom 3/4




Sr. No	Section No.	A	B	T	WT.KG
1	401	40	18	0.70	9.00-1.050
2	402	40	18	0.80	1.100-1.300
3	403	40	18	1.20	1.400-1.600
4	404	40	18	1.50	1.800-2.00

### Inter Lock (3/4)



Sr. No	Section No.	A	B	C	WT.KG
1	201	40	18	0.70	1.100-1.300
2	202	40	18	1.10	1.50-1.700
3	203	40	18	1.25	1.800-2.100
4	204	40	18	1.50	2.30-2.600

### Single Leg (3/4)




Sr. No	Section No.	A	B	T	WT.KG
1	450	40	18	0.70	850-1.00
2	451	40	18	0.80	1.00-1.200
3	452	40	18	1.00	1.3-1.500

# SLIDING WINDOW



## 3/4" B. Bottom




Sr. No	Section No.	A	B	C	WT.KG
1	451	52	18	0.80	1.00-1.200
2	452	52	18	1.00	1.3-1.500

# SLIDING WINDOW 60mm SERIES




## 60mm Handle




Sr. No	Section No.	A	B	T	WT.KG
1	9020	60	18	1.05	1.800-2.100

## 60mm Bearing



Sr. No	Section No.	A	B	T	WT.KG
1	9019	60	18	1.05	1.800-2.100

## 60mm Inter Lock




Sr. No	Section No.	A	B	T	WT.KG
1	9021	60	18	1.05	2.00-2.300






### 0.90mm W Top




Sr. No	Section No.	A	B	T	WT.KG
1	9261	78	35	0.90	2.30-2.450
		78	35	1.2	2.500-2.700
		78	35	1.5	3.00-3.300

### 0.90mm W Bottom




Sr. No	Section No.	A	B	T	WT.KG
1	9267	78	53	0.90	2.500-2.700
		78	53	1.8	3.300-3.600
		78	53	1.5	4.000-4.400

### 0.90mm W.r.l. From




Sr. No	Section No.	A	B	T	WT.KG
1	9262	80	37	0.90	1.600-1.700
		80	37	1.2	2.0-2.00
		80	37	1.5	2.50-2.700

### 0.90mm Shutter Top Bottom



Sr. No	Section No.	A	B	T	WT.KG
1	9269	49	37	0.90	1.35-1.45
		49	37	1.2	1.700-1.30
		49	37	1.5	2.1-2.30


### 0.90mm S.w.s Handle



Sr. No	Section No.	A	B	T	WT.KG
1	9268	55	25	0.90	1.650-1.850
		55	25	1.2	2.00-2.300
		55	25	1.5	2.500-2.700




## 0.90 W.f. Full Clip




Sr. No	Section No.	A	B	T	WT.KG
1	9263	81	28	0.90	1.30-1.450
		81	28	1.2	1.50-1.65
		81	28	1.5	1.70-1.850

## 0.90mm W.f. Half Clip




Sr. No	Section No.	A	B	T	WT.KG
1	9264	78	16	0.90	1.050-1.200
		78	16	1.2	1.30-1.050
		78	16	1.5	1.60-1.600

## 0.90mm 9/ Inter Lock




Sr. No	Section No.	A	B	T	WT.KG
1	9265	51	31	0.90	1.700-1.900
2		51	31	1.20	2.100-2.300
3		51	31	1.20	2.600-2.800

## 0.90mm Fixed W.f.




Sr. No	Section No.	A	B	T	WT.KG
1	9270	78	42	0.90	1.650-1.850
		78	42	1.20	2.200-2.400
		78	42	1.50	2.600-2.800

## 0.90mm S.w. Net




Sr. No	Section No.	A	B	T	WT.KG
1	9271	41	12	0.90	0.800-0.900
2	9271	41	12	0.90	1.000-1.150


## 0.90mm Clip




Sr. No	Section No.	A	B	T	WT.KG
1	9266	13	12	0.90	0.250-0.260
		13	12	1.2	350-4.00




Sr. No	Section No.	A	B	T	WT.KG
1	801	62	31	0.84	1.60-1.80
2	802	62	31	1.05	2.00-2.200
3	803	62	31	1.50	2.700-3.00




Sr. No	Section No.	A	B	T	WT.KG
1	901	62	31	6.5	1.70-1.90
2	902	62	31	1.05	2.00-2.200
3	903	62	31	1.50	3.10-1.40



Sr. No	Section No.	A	B	T	WT.KG
1	1002	92	31	7.0	1.90-2.100
2	1003	92	31	9.0	2.40-2.60
3	1004	92	31	1.05	2.70-3.00
4	1005	92	31	1.50	3.70-4.00



Sr. No	Section No.	A	B	C	WT.KG
1	1102	92	31	0.60	2.200-2.50
2	1103	92	31	0.90	2.60-2.600
3	1104	92	31	1.10	3.20-3.40
4	1105	92	31	1.50	4.50-4.10




Sr. No	Section No.	A	B	T	WT.KG
1	1301	122	31	1.3	4.50-5.20

# SLIDING WINDOW




## Four Track Top




Sr. No	Section No.	A		T	WT.KG
1	1201	122		31	4.200-4.50

## 35mm Three Track Bottom



Sr. No	Section No.	A	B	T	WT.KG
1	9090	151	51	1.40	6.000-6.400

## 35mm Three Track Top




Sr. No	Section No.	A	B	T	WT.KG
1	9091	151	51	1.40	5.400-5.800

# 2x1 SLIDING WINDOW




## Handle Section (2x1)




Sr. No	Section No.	A	B	T	WT.KG
1	2100	50	25	0.65	1.100-1.300
2	2101	50	25	0.90	1.500-1.800
3	2102	50	25	1.00	1.800-2.000
4	2103	50	25	1.50	2.200-2.500


## Middle Section (2x1)




Sr. No	Section No.	A	B	T	WT.KG
1	1900	50	25	6.705	1.30-1.50
2	1901	50	25	0.9	1.50-1.80
3	1902	50	25	1.00	1.80-2.00
4	1903	50	25	1.50	2.20-2.50




Sr. No	Section No.	A	B	T	WT.KG
1	2310	50	25	0.70	1.300-1.500
2	2311	50	25	0.90	1.500-1.800
3	2312	50	25	1.00	1.800-2.00
4	2313	50	25	1.50	2.20-2.600



Sr. No	Section No.	A	B	T	WT.KG
1	1950	60	25	0.90	1.80-2.00
2	1951	60	25	1.10	2.200-2.400




Sr. No	Section No.	A	B	T	WT.KG
1	2320	50	25	95	1.300-1.500
2	2321	50	25	95	1.500-1.800
3	2322	50	25	1.10	2.00-2.200
4	2323	50	25	1.50	2.30-2.360



Sr. No	Section No.	A	B	T	WT.KG
1	2201	50	25	85	1.500-1.800
2	2202	50	25	1.0	2.00-2.300




### 65x25 Handle




Sr. No	Section No.	A	B	T	WT.KG
1	9232	65	25	1.5	3.00-3.300

### 65x25 Inter Lock




Sr. No	Section No.	A	B	T	WT.KG
1	9234	65	25	1.5	3.00-3.30

### 75x25 Shutter & Cabza




Sr. No	Section No.	A	B	T	WT.KG
1	9231	75	25	1.5	3.500-3.800


### 80x25 Bearing Bottom




Sr. No	Section No.	A	B	T	WT.KG
1	9233	80	25	1.5	3.300-3.500




Sr. No	Section No.	A	B	T	WT.KG
1	9085	62	30	1.15	2.30-2.500




Sr. No	Section No.	A	B	T	WT.KG
1	9084	62	30	1.15	2.00-2.300



Sr. No	Section No.	A	B	T	WT.KG
1	9083 /1	41	20	1.15	1.300-1.500




Sr. No	Section No.	A	B	T	WT.KG
1	9081	41	20	1.15	1.300-1.500



Sr. No	Section No.	A	B	C	WT.KG
1	9082	41	29	1.15	1.650-1.850




### 1" Two Track Top




Sr. No	Section No.	A	B	T	WT.KG
1	2301	75	25	1.05	1.60-2.00

### 1" Two Track Bottom




Sr. No	Section No.	A	B	T	WT.KG
1	2401	75	25	1.05	2.00-2.300

### 1" Three Track Top




Sr. No	Section No.	A	B	T	WT.KG
1	2501	116	25	1.20	3.00-3.50

### 1" Three Track Bottom




Sr. No	Section No.	A	B	C	WT.KG
1	2601	75	25	1.20	3.200-3.60

### 1" Four Track Top



Sr. No	Section No.	A	B	T	WT.KG
1	9525	155	25	1.50	5.200-5.500

### 1" Four Track Bottom




Sr. No	Section No.	A	B	C	WT.KG
1	9526	155	25	1.50	6.00-6.500






### Two Track Top Hollow




Sr. No	Section No.	A	B	T	WT.KG
1	9030	62	32	1.10	2.300-2.600
2	9030 /1	62	32	1.40	2.80-3.20

### Two Track Bottom Hollow




Sr. No	Section No.	A	B	T	WT.KG
1	9031	62	32	1.10	2.30-2.600
2	9031 /1	62	32	1.40	3.00-3.300

### Three Track Top Hollow



Sr. No	Section No.	A	B	T	12' WT Range
1	9616	92	32	1.1	3.70-3.90

### Three Track Bottom Hollow




Sr. No	Section No.	A	B	T	12' WT Range
1	9617	92	32	1.1	4.10-4.450

# HOLLOW TRACK




**Four Track Top Hollow**




Sr. No	Section No.	A	B	T	12' WT Range
1	9618	122	32	1.20	5.20-5.50

**Four Track Bottom Hollow**




Sr. No	Section No.	A	B	T	12' WT Range
1	9619	122	32	1.20	5.20-5.50

**3 Track Top Hollow**




Sr. No	Section No.	A	B	T	12' WT Range
1	9020	92	45	1.00	4.50-5.00


**3 Track Bottom Hollow**




Sr. No	Section No.	A	B	T	12' WT Range
1	9621	92	45	1.00	5.500-5.500




Sr. No	Section No.	A	B	T	WT.KG
1	9650	50	25	1.9	3.500-4.000




Sr. No	Section No.	A	B	T	WT.KG
1	9651	50	25	1.75	4.500-5.000



Sr. No	Section No.	A	B	T	WT.KG
1	9652	69	25	1.75	4.00-4.500




Sr. No	Section No.	A	B	T	WT.KG
1	9653	123	44	2	7.00-7.500



Sr. No	Section No.	A	B	T	WT.KG
1	9654	128	32	2	9.00-9.500




## Glazing Clip




Sr. No	Section No.	A	B	T	WT.KG
1	1601	19	17	0.55	260-2.600
2	1603	19	17	0.75	320-360


## Glazing Plate




Sr. No	Section No.	A	B	T	WT.KG
1	1701	44	3.0	0.60	450-650
2	1703	44	3.5	1.00	600-800




Sr. No	Section No.	A	B	WT.KG
1	9011	45	40	2.900-3.200
2	9011 /1	45	40	2.500-2.600




Sr. No	Section No.	A	B	T	WT.KG
1	9012	75	45	1.35	4.600-4.900
2	9012	75	45	1.10	4.00-4.400



Sr. No	Section No.	A	B	T	WT.KG
1	9013	65	26	1.00	2.300-2.600
2	9013	65	26	1.25	2.900-3.200



Sr. No	Section No.	A	B	T	WT.KG
1	9014	38	30	1.20	900-1.200




Sr. No	Section No.	A	B	T	WT.KG
1	9248	65	50	1.20	3.800-4.200

# DOMAL SERIES 26MM



## Domal 3.T. With Cover




Sr. No	Section No.	A	B	T	WT.KG
1	9178	92	45	1.25	5.500-6.000

# DOMAL SERIES 27MM




## 2 T Domal




Sr. No	Section No.	A	B	T	WT.KG
1	9225	60	45	1.20	3.20-3.500

## Domal Three Track




Sr. No	Section No.	A	B	T	WT.KG
1	9054	100	45	1.30	5.60-6.20

## Domal Handle




Sr. No	Section No.	A	B	T	WT.KG
1	9052	60	27	1.20	2.700-3.100

## Domal Clip




Sr. No	Section No.	A	B	T	WT.KG
1	9050	32	32	1.05	1.10-1.250

# DOMAL SERIES 27MM




Sr. No	Section No.	A	B	T	WT.KG
1	9218	65	27	1.00	2.450-2.800




Sr. No	Section No.	A	B	T	WT.KG
1	9216	16	13	1.20	3.50-4.00


# DOMAL SERIES 24MM



Sr. No	Section No.	A	B	T	WT.KG
1	9053	67	45	1.20	5.10-5.500




Sr. No	Section No.	A	B	T	WT.KG
1	9051	60	22	1.20	2.600-2.300



Sr. No	Section No.	A	B	T	WT.KG
1	9049	32	27	1.00	0.900-1.100




## Mini Domal 3 Track




Sr. No	Section No.	A	B	T	WT.KG
1	9329	87	32	1.1	2.600-2.900

## Mini Domal 2 Track




Sr. No	Section No.	A	B	T	WT.KG
1	9328	56	32	1.1	1.800-2.000

## Mini Domal Handle




Sr. No	Section No.	A	B	T	WT.KG
1	9327	56	21.5	1.2	2.100-2.400

## Mini Domal Clip




Sr. No	Section No.	A	B	T	WT.KG
1	9331	32	26	1.05	0.800-0.950







Sr. No	Section No.	A	B	T	WT.KG
1	9333	115	45	1.4	6.000-6.500



Sr. No	Section No.	A	B	T	WT.KG
1	9332	80	45	1.4	4.100-4.500




Sr. No	Section No.	A	B	T	WT.KG
1	9340	65	26	1.25	2.500-2.800



Sr. No	Section No.	A	B	T	WT.KG
1	9289	38	30	1.10	0.950-1.150




## Ventina 2 Track




Sr. No	Section No.	A	B	T	WT.KG
1	9336	50	48	1.5	3.700-4.100

## Ventina 3 Track




Sr. No	Section No.	A	B	T	WT.KG
1	9337	86	48	1.5	5.600-6.100

## Ventina Handle




Sr. No	Section No.	A	B	T	WT.KG
1	9338	65	29	1.5	3.800-4.200

## Ventina Clip




Sr. No	Section No.	A	B	T	WT.KG
1	9339	38	32	1.2	1.300-1.500


## Ventina Glass



Sr. No	Section No.	A	B	T	WT.KG
1	9341	16	13	1.10	0.500-0.700




Sr. No	Section No.	A	B	T	WT.KG
1	9334	13	11	1.1	0.400-0.600



Sr. No	Section No.	A	B	T	WT.KG
1	9335	22	16	1.2	0.700-0.950




## Z- Outer




Sr. No	Section No.	A	B	T	WT.KG
1	9048	52.85	42	1.25	2.500-2.800

## Z- Inner




Sr. No	Section No.	A	B	T	WT.KG
1	9047	56.35	42	1.25	2.700-3.000

## Z- Mulian




Sr. No	Section No.	A	B	T	WT.KG
1	9046	65	42	1.25	2.700-3.000


## Z- Clip




Sr. No	Section No.	A	B	T	WT.KG
1	9045	26.75	15	1.1	0.790-950




Sr. No	Section No.	A	B	T	WT.KG
1	9034	44	46	1.4	2.800-3.100



Sr. No	Section No.	A	B	T	WT.KG
1	9033	44	46	1.4	2.000-2.400




Sr. No	Section No.	A	B	T	WT.KG
1	9032	59	38	1.4	3.000-3.300



Sr. No	Section No.	A	B	T	WT.KG
1	9035	21		0.85	0.450-.0.600




## Z- Outer




Sr. No	Section No.	A	B	T	WT.KG
1	6002	42	31	1.5	1.800

## Z- Inner




Sr. No	Section No.	A	B	T	WT.KG
1	6202	38	42	1.75	3.235

## Z- Mulian




Sr. No	Section No.	A	B	T	WT.KG
1	6102	46.2	42	1.5	2.580


## Z- Clip




Sr. No	Section No.	A	B	T	WT.KG
1	6302	28.7	15.9	1.75	1.340




Sr. No	Section No.	A	B	T	WT.KG
1	9577	50	40	1.20	1.600-1.900




Sr. No	Section No.	A	B	T	WT.KG
1	9573	50	40	1.20	1.800-2.100



Sr. No	Section No.	A	B	T	WT.KG
1	9571	65	50	1.20	2.600-2.900




Sr. No	Section No.	A	B	T	WT.KG
1	9557	53	36	1.80	3.400-3.700



Sr. No	Section No.	A	B	T	WT.KG
1	9558	53	52	1.80	3.400-3.800




## Clip




Sr. No	Section No.	A	B	T	WT.KG
1	9578	20	17	1.20	0.600-0.800

## Big Z Clip




Sr. No	Section No.	A	B	T	WT.KG
1	9559	35	25	1.20	1.200-1.350

## Step Angle




Sr. No	Section No.	A	B	T	WT.KG
1	9574	50	50	12	10.500-10.800







Sr. No	Section No.	A	B	T	WT.KG
1	9077	44	34	1.400	1.600-1.800




Sr. No	Section No.	A	B	T	WT.KG
1	9080	57	34	1.40	2.200-2.400



Sr. No	Section No.	A	B	T	WT.KG
1	9076	44	34	1.40	1.600-1.800




Sr. No	Section No.	A	B	T	WT.KG
1	9078	31	17	1.00	0.500-0.700



Sr. No	Section No.	A	B	T	WT.KG
1	9170	45	45	4.5	3.400-3.600




## Z Outer




Sr. No	Section No.	A	B	T	WT.KG
1	9097	42	41	105	1.900-2.100

## Z Mulian




Sr. No	Section No.	A	B	T	WT.KG
1	9294	71	40	1.05	2.700-3.00

## Z Mulian Box




Sr. No	Section No.	A	B	T	WT.KG
1	9286	92	71	1.00	4.00-4.300


## Z Mulian Clip




Sr. No	Section No.	A	B	T	WT.KG
1	9298	22	18	1	0.650-0.800




Sr. No	Section No.	A	B	T	WT.KG
1	9295	65	40	1.10	2.100-2.400



Sr. No	Section No.	A	B	T	WT.KG
1	9325	51.5	40	1.2	2.400-2.700




Sr. No	Section No.	A	B	T	WT.KG
1	9351	62	42	1.2	2.800-3.100



Sr. No	Section No.	A	B	T	WT.KG
1	9326	79	35	1.2	3.500-3.800




## 100mm Outer




Sr. No	Section No.	A	B	T	WT.KG
	1155	100	50	2.5	7.000-7.500

## 100mm Inner




Sr. No	Section No.	A	B	T	WT.KG
	1157	84	50	2.5	5.800-6.300

## 100mm Mulian




Sr. No	Section No.	A	B	T	WT.KG
	1156	100	50	2.5	6.500-7.000


## Clipper




Sr. No	Section No.	A	B	T	WT.KG
	9312	46	42	2.50	3.200-3.400




Sr. No	Section No.	A	B	T	WT.KG
1	9036	81	67	2.0	5.500-6.00




Sr. No	Section No.	A	B	T	WT.KG
1	9037	81	37	2	4.800-5.200



Sr. No	Section No.	A	B	T	WT.KG
1	9510	131	67	2.50	9.500-10.000




Sr. No	Section No.	A	B	T	WT.KG
1	9513	131	37	2.50	8.500-9.000



Sr. No	Section No.	A	B	T	WT.KG
1	9515/A	166	67	3.1	13.500-14.500
2	9515/B	166	67	5.1	21.400-22.000




## Glass Section 166mm




Sr. No	Section No.	A	B	T	WT.KG
1	9520/A	166	37	3.0	11.500-12.000
2	9520/B	166	37	5.1	18.500-19.000

## Shush Bar




Sr. No	Section No.	A	B	T	WT.KG
1	9287	52	28	1.5	1.900-2.100


## Shush Bar




Sr. No	Section No.	A	B	T	WT.KG
1	9221	68	28	1.50	2.100-2.300




Sr. No	Section No.	A	B	T	WT.KG
1	9508	96	55	2.0	6.500-6.800



Sr. No	Section No.	A	B	T	WT.KG
1	8650	50.8	50.8	1	2.000-2.300
2	8650	50.8	50.8	1.5	2.800-3.000




Sr. No	Section No.	A	B	T	WT.KG
1	9671	47.5	44.45	1	1.900-2.300
2	8671	47.5	44.45	1.4	2.600-2.800



Sr. No	Section No.	A	B	T	WT.KG
1	8673	63	58	1.3	3.100-3.500
2	8673	63	58	1.6	4.000-4.200




## Ladder C




Sr. No	Section No.	A	B	T	WT.KG
1	023	62.85	30.75	1.6	1.890
2	024	62.85	30.75	2.2	2.400
3	025	62.85	30.75	3.2	3.800

## Ladder Step




Sr. No	Section No.	A	B	T	WT.KG
1	026	64.84	25.55	1	1.700
2	027	64.84	25.55	1.3	2ØØ0







Sr. No	Section No.	A	B	T	WT.KG
1	3701	40	23.5	0.65	0.900-1.100



Sr. No	Section No.	A	B	T	WT.KG
1	3601	60	23.5	0.61	1.100-1.300



Sr. No	Section No.	A	B	T	WT.KG
1	3901	23.5	23.5	2.0	0.900-1.000




Sr. No	Section No.	A	B	T	WT.KG
1	5401	63	80	1.0	700-850

# ANGLE




## L Angle



Sr. No	Section No.	A	B	T	WT.KG
1	255	25	25	2.0	0.900-1.100
		25	25	3.0	1.400-1.600
2	256	38	38	2.0	1.400-1.600
		38	38	3.0	2.000-2.300
3	257	50	50	4.0	3.600-4.100
		50	50	5.0	4.700-5.000
4	258	75	75	4.0	5.600-6.000
		75	75	5.0	7.000-7.500

## L Angle 1.5x1




Sr. No	Section No.	A	B	T	WT.KG
1	259	25	38	1.6	1.100-1.300
		25	38	2.1	1.300-1.500
		25	38	3.0	1.800-2.100

# CHANEL



## Chanel




Sr. No	Section No.	A	B	C	T	WT.KG
1	260	9	9	9	0.85	0.220-0.250
		12	12	12	0.85	0.250-0.290
		12	19	12	0.90	0.350-0.450
		25	25	25	2.0	1.400-1.600
		25	25	25	3.0	2.000-2.300
		25	38	25	2.0	1.600-1.800
		25	38	25	3.0	2.400-2.600
		25	50	25	3.0	2.700-3.100
		25	50	25	4.0	3.600-4.000
		38	38	38	3.0	3.200-3.500
		38	38	38	4.0	4.300-4.500
		38	50	38	4.0	4.600-4.800
		38	75	38	5.0	6.800-7.200
		50	100	50	4.0	7.500-8.000
		50	100	50	5.0	9.300-9.600




# BUS BODY


# BUS BODY




Sr. No	01
Section No.	9015
A	38.39
B	35
T	2
Wt. Kg.	1.300




Sr. No	02
Section No.	9016
A	38.7
B	—
T	2
Wt. Kg.	2.400




Sr. No	03
Section No.	9024
A	50.8
B	7.5
T	1.77
Wt. Kg.	1.250




Sr. No	04
Section No.	9017
A	33
B	17
T	3.1
Wt. Kg.	1.500




Sr. No	04
Section No.	9018
A	14.6
B	12.1
T	2
Wt. Kg.	0.690




Sr. No	05
Section No.	9025
A	40.98
B	35.1
T	5
Wt. Kg.	2.400




Sr. No	06
Section No.	9028
A	12
B	9
T	-----
Wt. Kg.	1.050




Sr. No	08
Section No.	9128
A	24.1
B	12.8
T	2
Wt. Kg.	1.600




Sr. No	07
Section No.	9129
A	50.8
B	22.22
T	1.25
Wt. Kg.	1.130




Sr. No	09
Section No.	9130
A	25.35
B	5.95
T	-----
Wt. Kg.	1.700




Sr. No	10
Section No.	9131
A	38.1
B	12.7
T	3.18
Wt. Kg.	1.260




Sr. No	11
Section No.	9132
A	31
B	31.5
T	-----
Wt. Kg.	2.500




Sr. No	12
Section No.	9134
A	36.16
B	-----
T	1.18
Wt. Kg.	1.700




Sr. No	13
Section No.	9135
A	31.75
B	3.97
T	3.97
Wt. Kg.	0.960




Sr. No	14
Section No.	9136
A	25.11
B	3.18
T	3.18
Wt. Kg.	0.750




Sr. No	15
Section No.	6915
A	25.4
B	25.4
T	3.1
Wt. Kg.	1.450




<b>Sr. No</b>	16
<b>Section No.</b>	9164
<b>A</b>	41.8
<b>B</b>	-----
<b>T</b>	-----
<b>Wt. Kg.</b>	1.750




<b>Sr. No</b>	17
<b>Section No.</b>	9133
<b>A</b>	54.2
<b>B</b>	16
<b>T</b>	0000
<b>Wt. Kg.</b>	2.450




<b>Sr. No</b>	18
<b>Section No.</b>	9133/1
<b>A</b>	53.93
<b>B</b>	16.39
<b>T</b>	1.75
<b>Wt. Kg.</b>	1.800




<b>Sr. No</b>	19
<b>Section No.</b>	9041
<b>A</b>	17.94
<b>B</b>	9.87
<b>T</b>	0.8
<b>Wt. Kg.</b>	0.190




<b>Sr. No</b>	20
<b>Section No.</b>	9001
<b>A</b>	0000
<b>B</b>	30
<b>T</b>	3
<b>Wt. Kg.</b>	2.540




<b>Sr. No</b>	21
<b>Section No.</b>	9126
<b>A</b>	57.4
<b>B</b>	17
<b>T</b>	3.3
<b>Wt. Kg.</b>	1.890




<b>Sr. No</b>	22
<b>Section No.</b>	9059
<b>A</b>	40.24
<b>B</b>	39
<b>T</b>	2.2
<b>Wt. Kg.</b>	2.180




<b>Sr. No</b>	23
<b>Section No.</b>	9038
<b>A</b>	0000
<b>B</b>	39.2
<b>T</b>	2.1
<b>Wt. Kg.</b>	2.319




Sr. No	24
Section No.	9002
A	0000
B	29.8
T	0000
Wt. Kg.	4.110




Sr. No	25
Section No.	9003/1
A	43.86
B	0000
T	0000
Wt. Kg.	2.380




Sr. No	26
Section No.	9142
A	84.89
B	77.5
T	0000
Wt. Kg.	20.000




Sr. No	27
Section No.	9141
A	85
B	41.2
T	0000
Wt. Kg.	13.300




Sr. No	28
Section No.	9143
A	70.09
B	29.82
T	0000
Wt. Kg.	3.700



Sr. No	29
Section No.	9144
A	27
B	32.2
T	0000
Wt. Kg.	2.200




Sr. No	30
Section No.	9145
A	0000
B	28.5
T	0000
Wt. Kg.	1.900




Sr. No	31
Section No.	9146
A	0000
B	18.75
T	0000
Wt. Kg.	2.100







<b>Sr. No</b>	32
<b>Section No.</b>	9079/2
<b>A</b>	50
<b>B</b>	50
<b>T</b>	4
<b>Wt. Kg.</b>	3.580




<b>Sr. No</b>	33
<b>Section No.</b>	9105
<b>A</b>	33
<b>B</b>	22
<b>T</b>	0000
<b>Wt. Kg.</b>	2.300




<b>Sr. No</b>	34
<b>Section No.</b>	9104
<b>A</b>	39
<b>B</b>	33.8
<b>T</b>	2
<b>Wt. Kg.</b>	2.100




<b>Sr. No</b>	35
<b>Section No.</b>	9075
<b>A</b>	22.3
<b>B</b>	21
<b>T</b>	1.2
<b>Wt. Kg.</b>	0.730




<b>Sr. No</b>	36
<b>Section No.</b>	9040/1
<b>A</b>	0000
<b>B</b>	38.5
<b>T</b>	5
<b>Wt. Kg.</b>	2.000



<b>Sr. No</b>	37
<b>Section No.</b>	9037/1
<b>A</b>	35.61
<b>B</b>	0000
<b>T</b>	3
<b>Wt. Kg.</b>	1.700




<b>Sr. No</b>	38
<b>Section No.</b>	9103/1
<b>A</b>	36.01
<b>B</b>	0000
<b>T</b>	2
<b>Wt. Kg.</b>	2.000




<b>Sr. No</b>	39
<b>Section No.</b>	9039/1
<b>A</b>	38.5
<b>B</b>	0000
<b>T</b>	0000
<b>Wt. Kg.</b>	1.890







<b>Sr. No</b>	40
<b>Section No.</b>	9003/2
<b>A</b>	40
<b>B</b>	0000
<b>T</b>	2
<b>Wt. Kg.</b>	2.100




<b>Sr. No</b>	41
<b>Section No.</b>	9106
<b>A</b>	33
<b>B</b>	0000
<b>T</b>	3
<b>Wt. Kg.</b>	2.540




<b>Sr. No</b>	42
<b>Section No.</b>	9029
<b>A</b>	17.5
<b>B</b>	16.73
<b>T</b>	0000
<b>Wt. Kg.</b>	0.900




<b>Sr. No</b>	43
<b>Section No.</b>	9060
<b>A</b>	50
<b>B</b>	50
<b>T</b>	4.5
<b>Wt. Kg.</b>	4.200




<b>Sr. No</b>	44
<b>Section No.</b>	9107
<b>A</b>	30
<b>B</b>	44.5
<b>T</b>	0000
<b>Wt. Kg.</b>	3.340




<b>Sr. No</b>	45
<b>Section No.</b>	9160
<b>A</b>	14.2
<b>B</b>	6.2
<b>T</b>	0000
<b>Wt. Kg.</b>	0.560




<b>Sr. No</b>	46
<b>Section No.</b>	9159
<b>A</b>	43.8
<b>B</b>	44.2
<b>T</b>	2.3
<b>Wt. Kg.</b>	2.100




<b>Sr. No</b>	47
<b>Section No.</b>	9127
<b>A</b>	34.5
<b>B</b>	18
<b>T</b>	0000
<b>Wt. Kg.</b>	0.900




<b>Sr. No</b>	48
<b>Section No.</b>	9207
<b>A</b>	29.2
<b>B</b>	22.2
<b>T</b>	1.4
<b>Wt. Kg.</b>	1.00-1.30



<b>Sr. No</b>	48
<b>Section No.</b>	9042/2
<b>A</b>	11
<b>B</b>	16.6
<b>T</b>	1
<b>Wt. Kg.</b>	0.260




Sr. No	Section No.	A	B	C	15'WT.RANGE
1	9020	122	122	10.48	10.600-11.300




Sr. No	Section No.	A	B	C	15'WT.RANGE
1	9021	118.5	113.5	104.8	9.00-9.400


# GRILL PROFILE SECTION




Sr. No	Section No.	W	H	No. Of Bulb	Min. WT/MTR
1	013	140	4.7	18	0.883
2	013	156	4.7	20	0.983
3	013	172	4.7	22	1.082
4	013	188	4.7	24	1.182
5	013	204	4.7	26	1.281
6	013	220	4.7	28	1.381
7	013	236	4.7	30	1.480
8	013	252	4.7	32	1.580
9	013	268	4.7	34	1.700



Sr. No	Section No.	W	H	No. Of Bulb	Min. WT/MTR
1	013	140	6.2	18	1.163
2	013	156	6.2	20	1.293
3	013	172	6.2	22	1.424
4	013	188	6.2	24	1.555
5	013	204	6.2	26	1.685
6	013	220	6.2	28	1.816
7	013	236	6.2	30	1.946
8	013	252	6.2	32	2.077
9	013	268	6.2	34	2.208




Sr. No	Section No.	W	H	No. Of Bulb	Min. WT/MTR
1	013	148.9	7.35	18	1.720
2	013	182.9	7.35	22	2.140
3	013	216.9	7.35	26	2.450
4	013	233.9	7.35	28	2.720



Sr. No	Section No.	W	H	No. Of Bulb	Min. WT/MTR
1	013	1031.13	10	22	2.785




## L Pipe (35"/25")




Sr. No	Section No.	A	B	T	WT.KG
1	4001	25	35	0.7	0.750-0.850

## Handel Section (16"/34")




Sr. No	Section No.	A	B	T	WT.KG
1	101	16	34	0.6	0.750-0.850

## Middle Section (16"/34")




Sr. No	Section No.	A	B	T	WT.KG
1	300	16	34	0.6	0.750-0.850

## Top-bottom (16"/34")




Sr. No	Section No.	A	B	T	WT.KG
1	400	16	34	0.6	0.750-0.850


## Top-bottom Signal Lag (16"/34")




Sr. No	Section No.	A	B	T	WT.KG
1	453	16	34	0.6	0.750-0.850




Sr. No	Section No.	A	B	T	WT.KG
1	4140	45	55	0.6	1.500-1.250




Sr. No	Section No.	A	B	T	WT.KG
1	6405	34	24	0.6	0.650-0.800



Sr. No	Section No.	A	B	T	WT.KG
1	6431	61	34	0.6	1.000-1.250




Sr. No	Section No.	A	B	T	WT.KG
1	110	16	34	0.6	0.600-0.750



Sr. No	Section No.	A	B	T	WT.KG
1	454	16	34	0.6	0.500-0.650




## Strut Chanel




Sr. No	Section No.	A	B	T	WT.KG
1	9220	41	41	2.5	3.400-3.600

## Micro Rail




Sr. No	Section No.	A	B	T	WT.KG
1	9226	75	30	2.6	3.500-3.800

## Base Chanel




Sr. No	Section No.	A	B	T	WT.KG
1	9227	111	19	2	3.200-3.400

## 75mm Cover




Sr. No	Section No.	A	B	T	WT.KG
1	9228	75	20	2	2.200-2.350

## Tower Section




Sr. No	Section No.	A	B	T	WT.KG
1	9312	100	60	2	4.500-4.900







Sr. No	Section No.	A	B	T	WT.KG
1	2450	95	10.70	1.50	1.700-0.800




Sr. No	Section No.	A	B	T	WT.KG
	9203	33.50	5.70	2.40	850-1.00



Sr. No	Section No.	A	B	T	WT.KG
1	9292	51	10	3	2.200-2.500




Sr. No	Section No.	A	B	T	WT.KG
1	9293	51	30	3	2.400-2.600



Sr. No	Section No.	A	B	T	WT.KG
1	9251	30	11.5	9.70	600-700
		32	13	10.90	850-950
2	9252	37	15	12.6	1.300-1.400




**Tower Bolt**




Sr. No	Section No.	A	B	T	WT.KG
1	9243	24	12	9.60	1.80-1.900

**Tower Bolt**




Sr. No	Section No.	A	B	T	WT.KG
1	9245	25	12.5	10.4	1.250-1.350

**Tower Bolt**




Sr. No	Section No.	A	B	T	WT.KG
1	9244	29	14.3	9.6	1.800-1.950

**Corner Angle**




Sr. No	Section No.	A	B	T	WT.KG
1	9239	22.5	15.75	3.5	1.300-1.450

**9237**




Sr. No	Section No.	A	B	T	WT.KG
1	9237	54	39	4.50	4.800-5.00


**Tower Bolt**




Sr. No	Section No.	A	B	T	WT.KG
1	9247	38.5	17.70	12.8	2.100-2.200




Sr. No	Section No.	A	B	T	WT.KG
1	9114	123	82	3.00	4.400-4.800
2	9115	142	82	3.00	5.200-5.600




Sr. No	Section No.	A	B	T	WT.KG
1	9122	123	82	2.5	4.400-4.800
		123	82	3.50	5.200-5.800
2	9123	142	98	2.50	4.800-5.300
		142	98	3.500	5.400-6.200




Sr. No	Section No.	A	B	T	WT.KG
1	9004	26	12	75	4.50-5.50
		26	12	1.0	600-700
		26	12	1.20	700-800



Sr. No	Section No.	A	B	T	WT.KG
1	9009	19	19	1.00	3.50-450
2	9010	25	25	1.00	4.50-5.50




Sr. No	Section No.	A	B	T	WT.KG
1	9064	30	10	0.70	400-500



Sr. No	Section No.	A	B	T	WT.KG
1	9065	30	10	0.75	350-500




## Mosquito Section




Sr. No	Section No.	A	B	T	WT.KG
1	9171	25	13	1.0	0.650-0.800

## 9093




Sr. No	Section No.	A	B	T	WT.KG
1	9093	118	31	1.05	2.200-2.400

## 9094




Sr. No	Section No.	A	B	T	WT.KG
1	9094	66	16	2.6	1.900-2.100

## 9095




Sr. No	Section No.	A	B	T	WT.KG
1	9095	76	19	1.40	1.700-1.900


## 9096



Sr. No	Section No.	A	B	T	WT.KG
1	9096	51	31	1.10	1.100-1.300




Sr. No	Section No.	A	B	T	WT.KG
	9097	76	31	1.10	1.700-1.900




Sr. No	Section No.	A	B	T	WT.KG
	9098	116	45	1.3	3.500-3.900


# KITCHEN PROFILE



Sr. No	Section No.	A	B	T	WT.KG
1	9366	67	22	10.50	1.700-200




Sr. No	Section No.	A	B	T	WT.KG
1	9236	45	22	1.00	1.400-1.500



Sr. No	Section No.	A	B	T	WT.KG
1	9157	58	20	1.20	1.200-1.500




**9364**




Sr. No	Section No.	A	B	T	WT.KG
1	9364	49	11	1.05	1.200-1.400

**9181 G Chanel**




Sr. No	Section No.	A	B	T	WT.KG
1	9181	40	40	2.00	2.200-2.600

**9365**




Sr. No	Section No.	A	B	T	WT.KG
1	9365	33	32	1.70	1.700-2.00

**9359**




Sr. No	Section No.	A	B	T	WT.KG
1	9359	41	15	1.0	1.450-1.650


**9358**




Sr. No	Section No.	A	B	T	WT.KG
1	9358	36	17	1.40	1.250-1.350




	Section No.	A	B	T	WT.KG
	9362	44	5	1.10	500-700



	Section No.	A	B	T	WT.KG
	9363	18.50	18.50	1.150	600-800




	Section No.	A	B	T	WT.KG
1	9360	44	4.40	85	5.50-700



	Section No.	A	B	T	WT.KG
1	9361	35	5	1.20	500-600




**9355**




Sr. No	Section No.	A	B	T	WT.KG
1	9355	42	42	1.50	3.800-4.200

**9350**




Sr. No	Section No.	A	B	T	WT.KG
1	9350	42	42	2	3.600-4.200

**9357**




Sr. No	Section No.	A	B	T	WT.KG
1	9357	80	27	1.40	2.500-2.800

**9352**




Sr. No	Section No.	A	B	T	WT.KG
1	9352	120	60	3.10	14.700-15.00

**9291**




Sr. No	Section No.	A	B	T	WT.KG
1	9291	44	44	1.20	2.300-2.500







Sr. No	Section No.	A	B	T	WT.KG
	9290	51	10.2	1.2	2.100-2.400



	Section No.	A	B	T	WT.KG
1	9272	43	36.2	0.90	1.450-1.650




Sr. No	Section No.	A	B	T	WT.KG
1	9632	132	96	6.0	38.00-41.00



Sr. No	Section No.	A	B	T	WT.KG
1	9091	110	45	1.20	4.400-4.800




### Domal 3 Track Grill




Sr. No	Section No.	A	B	T	WT.KG
1	9092	130	45	1.20	5.600-5.900

### 3mm Domal 2 Track




Sr. No	Section No.	A	B	T	WT.KG
1	9031	54	45	3.10	6.200-6.500

### 3mm Domal Handle




Sr. No	Section No.	A	B	T	WT.KG
1	9030	65	30	3.10	5.800-6.200

### 9238




Sr. No	Section No.	A	B	T	WT.KG
1	9238	77	73.3	1.650	4.800-5.200


### 9235




Sr. No	Section No.	A	B	T	WT.KG
1	9235	50	24	1.50	2.900-3.200




	Section No.	A	B	T	WT.KG
	U.S. 2	90	6.50	0.90	1.400-1.500




Sr. No	Section No.	A	B	T	WT.KG
	9198	50	31	1.50	2.800-3.200



Sr. No	Section No.	A	B	T	WT.KG
	9199	50	12	3.0	1.300-1.500




Sr. No	Section No.	A	B	T	WT.KG
1	9354	120	68	4.0	18.600-19.100



Sr. No	Section No.	A	B	T	WT.KG
1	9219	85	42	1.20	3.600-4.200




## Glass Bar




Sr. No	Section No.	A	B	T	WT.KG
1	8013	100	50	4.5	12.500-12.600
2	8014	125	50	5.0	17.500-16.00
3	8015	75	50	4.0	9.700-10.200

## 8020




Sr. No	Section No.	A	B	T	WT.KG
1	8020	150	65	4.0	9.900-10.400

## 8022




Sr. No	Section No.	A	B	T	WT.KG
1	8022	175	65	4.0	11.00-11.500


## 8021




Sr. No	Section No.	A	B	T	WT.KG
1	8021	100	100	4.5	15.800-16.300




Sr. No	Section No.	A	B	T	WT.KG
	8585	124	100	4.50	16.00-16.500



Sr. No	Section No.	A	B	T	WT.KG
	8023	124	100	4.5	16.300-16.800




Sr. No	Section No.	A	B	T	WT.KG
1	8080	122	100	4.50	18.700-19.200




Sr. No	Section No.	A	B	T	WT.KG
1	8080/1	122	100	4.50	18.00-18.500


# SPECIAL PROFILE




Sr. No	Section No.	A	B	T	WT.KG
1	9655	126	45	14.50	22.00-22.500




Sr. No	Section No.	A	B	T	WT.KG
1	9242	37.50	26.50	8..20	3.400-3.600




	Section No.	A	B	T	WT.KG
1	9241	33	19.50	8.20	2.900-3.200




Sr. No	Section No.	A	B	T	WT.KG
1	9243	62	22	5	4.800-5.200



	Section No.	A	B	T	WT.KG
	9356	54	12	2.50	1.800-2.00



	Section No.	A	B	T	WT.KG
	9368	75	22	1.50	3.00-3.300



	Section No.	A	B	T	WT.KG
1	9367	50	12	2.0	1.400-1.600



**TALCO**  
EXTRUSION

## Talco Extrusion LLP.

Opp. Bileshwar - Parasmani cold Storage, Harsol- Prantij road, Harsol,  
Dist. S.K. (Gujarat) Pin. 383210, Phone : +91 99793 61645, +91 93757 14146  
E-Mail: ofc.talcoextrusionllp@gmail.com  
Website : www.talcoextrusion.com